

GENERAL NOTES:

- 1. Stone Schedule is not to scale; refer to shown dimensions only. Do not scale off plans.
- 2. All stone pieces are dimensioned at nominal size, not actual size, unless otherwise noted; account for joint width when sizing. Refer to Stone Schedule for anticipated joint width
- 3. The dimensions shown on the Stone Schedule indicate design intent and must be field verified prior to preparation of Shop Drawings by Contractor or stone supplier.
- 4. Shop Drawings for all Stone Schedule materials are required and shall be based on actual layout and field measurement by the Contractor.
 5. Only upon written agreement between Contractor and
- Landscape Architect can Shop Drawings for the Stone Schedule materials be eliminated.


 6. Contractor to provide mortar and polymeric sand color
- sample for approval by Landscape Architect.

 7. Eased edge assumes a ¹/₄ radius.
- 8. Pencil edge assumes a 1 radius.

No.	Date	Comment				
\triangle	2019/04/17	REVISION	1			
Dat	e:		Scale:			
1	9 MARCH 2019		1/4" = 1'-0"	Ö		4
Pro	ject No.:		Drawing by:	С	checked by:	
-	18017		MP/HB/TF		TS/GL	
			·			

STONE SCHEDULE PLAN -DRIVEWAY

L1.06



PAVERS STONE SCHEDULE

KEY	DIMENSI	SNC	QTY.	NOTES
PA-1	1'-9"	2"	17	SILVER RIDGE GRANITE; THERMAL TOP
PA-2	1'-6"	2"	3	SILVER RIDGE GRANITE; THERMAL TOP
PA-3	1'-0"	2 <u>1</u> "	3,365 SF	BUSH HAMMERED STANDARD GREY GRANITE COBBLE
PA-4	3'-6"	2"	53	SILVER RIDGE GRANITE; THERMAL TOP
PA-5	3'-6"	2"	56	SILVER RIDGE GRANITE; THERMAL TOP
PA-6	2'-4" = 50 	6" 	4	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
PA-7 _A	3'-4"	6"	2	SILVER RIDGE GRANITE; THERMAL TOP
PA-7 _B	3'-4"	6"	4	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
PA-8	5'-4"	* 	2	SILVER RIDGE GRANITE; THERMAL TOP
PA-9	2'-71"	6"	1	SILVER RIDGE GRANITE; THERMAL TOP; FIELD VERIFY DIMENSIONS
PA-10	\$\frac{4'-0"}{\tau_0''}\$	6" 	2	SILVER RIDGE GRANITE; THERMAL TOP
PA-11	2'-91"	2"	3	SILVER RIDGE GRANITE; THERMAL TOP
PA-12	2'-0"	3"	5	SILVER RIDGE GRANITE; THERMAL TOP
PA-13	2'-3"	3"	5	SILVER RIDGE GRANITE; THERMAL TOP
PA-14	3'-0"	3"	9	SILVER RIDGE GRANITE; THERMAL TOP
PA-15	5'-0 <u>5</u> "	2"	1	SILVER RIDGE GRANITE; THERMAL TOP
PA-16	4'-0"	3"	63	SILVER RIDGE GRANITE; THERMAL TOP
PA-17	± 1	2"	2	SILVER RIDGE GRANITE; THERMAL TOP
PA-18	6'-6"	2"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP; THICKNESS TO BE CONFIRMED IN FIELD
PA-19	2'-6" 	3"	7	SILVER RIDGE GRANITE; THERMAL TOP
PA-20	2'-1 ⁵ / ₈ "	3"	1	SILVER RIDGE GRANITE; THERMAL TOP
PA-21	3'-6"	2"	4	SILVER RIDGE GRANITE; THERMAL TOP

SILVER RIDGE GRANITE; PA-22 THERMAL TOP INTENTIONALLY OMITTED PA-23

PA-24	4'-83" 3"	10	SILVER RIDGE GRANITE; THERMAL TOP
PA-25	4'-95" 3"	16	SILVER RIDGE GRANITE; THERMAL TOP
PA-26	5'-0" 3"	79	SILVER RIDGE GRANITE; THERMAL TOP
	5'-0 <u>5</u> "		SII VER RIDGE GRANITE:

	, <u> </u>		
PA-27	5'-08	14	SILVER RIDGE GRANITE; THERMAL TOP
PA-28	5'-2" 3"	8	SILVER RIDGE GRANITE; THERMAL TOP

PA-29

PA-30

PA-31

PA-32

PA-33

PA-34

INTENTIONALLY OMITTED SILVER RIDGE GRANITE; THERMAL TOP

SILVER RIDGE GRANITE; THERMAL TOP INTENTIONALLY OMITTED

SILVER RIDGE GRANITE; THERMAL TOP INTENTIONALLY OMITTED

INTENTIONALLY OMITTED

PA-35 SIZES ARE NOMINAL - ASSUME 3/8" JOINT * CUT IN FIELD 3'-0" -1 CHAMFER TO BE HELD 2" FROM EACH SIDE PLAN VIEW

PLAN/ELEVATION

 $-\frac{1}{2}$ CHAMFER TO BE HELD 2" FROM EACH SIDE

SIDE VIEW

PAVERS - ARCHITECTURAL PAVING - STONE SCHEDULE

TAVEITO	TAVENS - ANCHITECTONAL LAVING - STONE SCHEDULE				
KEY	DIMENSIONS	QTY.	NOTES		
PA-36	3'-5" 6"	2	SILVER RIDGE GRANITE; THERMAL TOP; LIGHTLY ROCKED EXPOSED FACES		
PA-37 _A	3'-6\frac{3}{8}"	6	SILVER RIDGE GRANITE; THERMAL TOP		
PA-37 _B	3'-6\frac{3}{3}"	2	SILVER RIDGE GRANITE; THERMAL TOP; LIGHTLY ROCKED EXPOSED FACES		
PA-37 _C	3'-63"	2	SILVER RIDGE GRANITE; THERMAL TOP; LIGHTLY ROCKED EXPOSED FACES		
PA-37 _D	3'-6\frac{3}{8}"	1	SILVER RIDGE GRANITE; THERMAL TOP; LIGHTLY ROCKED EXPOSED FACES		
PA-37 _E	3'-63"	1	SILVER RIDGE GRANITE; THERMAL TOP; LIGHTLY ROCKED EXPOSED FACES		
PA-37 _F	3'-27" 31" 6"	1	SILVER RIDGE GRANITE; THERMAL TOP; LIGHTLY ROCKED EXPOSED FACES		
PA-37 _G	31 3-27 6	1	SILVER RIDGE GRANITE; THERMAL TOP; LIGHTLY ROCKED EXPOSED FACES		
PA-38	7'-0 ³ / ₄ " 2"	3	SILVER RIDGE GRANITE; THERMAL TOP		
PA-39	INTENTIONA	ALLY OMITT 	ED		
PA-40	+ 6" 6"	1	SILVER RIDGE GRANITE; THERMAL TOP		
		0.750 455	N.O. AIN I.A.I A COLUNTE O (OIL IOIN)		

 INDICATES EXPOSED FACE
 SIZES ARE NOMINAL - ASSUME 3/8" JOINT * CUT IN FIELD

THRESHOLD STONE SCHEDULE

KEY	DIMENSIONS	QTY.	NOTES
TS-1	3'-0" 4"	1	SILVER RIDGE GRANITE; THERMAL TOP AND EXPOSED FACES; SEE 1/L1.08


• INDICATES EXPOSED FACE SIZES ARE NOMINAL - ASSUME 3/8" JOINT


* CUT IN FIELD

WALL CAP STONE SCHEDULE

KEY	DIMENSIONS	QTY.	NOTES
WC-1	3'-8" 6"	2	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
WC-1 _B	INTENTIO	DNALLY OM	MITTED
WC-2 _A	4'-2\frac{3}{8} 6" 2'-8\frac{3}{8} 1'-6"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
WC-2 _B	4'-2 ³ / ₈ " 6" 6" 6" 6" 6" 6" 6" 6" 6" 6" 6" 6" 6"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP; SEE 2/L1.08 FOR ENLARGEMENT
WC-3 _A	4'-37" 4"	4	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
WC-3 _B	4'-37''	4	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
WC-4	2-4-1-6-6-6-42	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP; SEE 3/L1.08 FOR ENLARGEMENT
WC-5	4'-3 ¹ / ₈ " 6"	3	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
WC-6 _A	6'-0\frac{1}{8}" 4"	12	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
WC-6 _B	6'-0 ¹ / ₈ " 4"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
WC-7	1'-63"1'-6" 4"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
WC-8	4'-6 ¹ / ₈ " 4"	3	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
WC-9	3'-0½" 4"	2	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP
• INDIC	CATES EXPOSED FACE	SIZES ARE	NOMINAL - ASSUME 3/8" JOINT

INDICATES EXPOSED FACE SIZES ARE NOMINAL - ASSUME 3/8" JOINT * CUT IN FIELD






PLAN

GENERAL NOTES:

- 1. Stone Schedule is not to scale; refer to shown dimensions only. Do not scale off plans.
- 2. All stone pieces are dimensioned at nominal size, not actual size, unless otherwise noted; account for joint width when sizing. Refer to Stone Schedule for anticipated joint
- 3. The dimensions shown on the Stone Schedule indicate design intent and must be field verified prior to preparation of
- Shop Drawings by Contractor or stone supplier. 4. Shop Drawings for all Stone Schedule materials are required and shall be based on actual layout and field measurement by the Contractor.
- 5. Only upon written agreement between Contractor and Landscape Architect can Shop Drawings for the Stone Schedule materials be eliminated.
- 6. Contractor to provide mortar and polymeric sand color sample for approval by Landscape Architect.
- 7. Eased edge assumes a ¹/₄ radius.
- 8. Pencil edge assumes a 1 radius.



STONE SCHEDULE

STAIRS STONE SCHEDULE DIMENSIONS QTY. NOTES KEY SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP ST-2 INTENTIONALLY OMITTED SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED ST-5 FACES, THERMAL TOP SILVER RIDGE GRANITE: ST-6_A LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; ST-6_B LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; ST-7_A LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; ST-7_B LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; ST-7c LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP 3'-4" SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; ST-8_C LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; ST-15_A LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP SILVER RIDGE GRANITE; ST-15_B LIGHTLY ROCKED EXPOSED FACES, THERMAL TOP

ST-16	4'-0" 6"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-17	4'-0"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-18 _A	INTEN	TIONALLY	OMITTED
ST-18 _B	INTEN	TIONALLY	OMITTED
ST-19	7'-11" 8"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-20	4'-71" 6"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP; FIEL VERIFY DIMENSIONS
ST-21	₹ 4'-0" 6" 6"	2	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-22 _A	2'-9 7 " 6"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-22 _B	2'-97" 6"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-23	4'-3 ¹ / ₄ " 6"	2	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-24	4'-3 ¹ / ₄ " 8"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-25	2'-4"	2	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-26	2'-4"	2	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-27	5'-4" 6"	2	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP
ST-28	2'-7 ¹ / ₈ " 6"	1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP; FIEI VERIFY DIMENSIONS
ST-29		1	SILVER RIDGE GRANITE; LIGHTLY ROCKED EXPOSE FACES, THERMAL TOP

COPING STONE SCHEDULE

KEY	DIMENSIONS	QTY.	NOTES
CS-1	INTENTIO	ONALLY ON	MITTED
CS-2 _A	3'-6" 2"	2	SILVER RIDGE GRANITE; THERMAL TOP AND EXPOSED FACES; SEE 5/L1.09 FOR EDGE CONDITIONS
CS-2 _B	3'-6" 2" 2" 2" 1'-6"2'-0"	1	SILVER RIDGE GRANITE; THERMAL TOP AND EXPOSED FACES; SEE 5/L1.09 FOR EDGE CONDITIONS
CS-2 _C	3'-6" 2"-0"1'-6"	1	SILVER RIDGE GRANITE; THERMAL TOP AND EXPOSED FACES; SEE 5/L1.09 FOR EDGE CONDITIONS
CS-3	3'-6" 2"	12	SILVER RIDGE GRANITE; THERMAL TOP AND EXPOSED FACES; SEE 5/L1.09 FOR EDGE CONDITIONS

INDICATES EXPOSED FACE
 SIZES ARE NOMINAL - ASSUME 3/8" JOINT

* CUT IN FIELD

PIER STONE SCHEDULE

KEY	DIMENSIONS	QTY.	NOTES
PI-1	6" 6'-0" 1'-0"	6	SILVER RIDGE GRANITE; SPLIT OUTSIDE TWO EXPOSED FACES, THERMAL SIDES AND TOP; SEE 2/L1.09
PI-2 _A	2'-1" <u>TOP</u> <u>SIDE</u> <u>FRONT</u>	1	SILVER RIDGE GRANITE; THERMAL EXPOSED FACES; SEE 4/L1.09 FOR ADDRESS NUMBER
PI-2 _B	2'-1" 2'-1" TOP 2'-1" 5 SIDE FRONT	1	SILVER RIDGE GRANITE; THERMAL EXPOSED FACES
PI-3	2'-1" 2'-1" 2'-1"	4	SILVER RIDGE GRANITE; SPLIT EXPOSED FACES, SEE 3/L1.09 FOR ENLARGEMENT

• INDICATES EXPOSED FACE SIZES ARE NOMINAL - ASSUME 3/8" JOINT * CUT IN FIELD

THERMAL

FACE


FACE

<u>FRONT</u>

PI-1 SCALE: N.T.S.

THERMAL FACE

<u>BACK</u>



FIELDSTONE PIERS AT DRIVEWAY ENTRANCE (STREETSIDE)

SCALE: 3/4" = 1'-0"

9 PI-3 SCALE: 1-1/2" = 1'-0"


THERMAL


FACE

FACE

THERMAL FACE

2'-1" 6" 1'-1" HAND TIGHT MORTAR JOINT HAND TIGHT **MORTAR JOINT** 2'-0" - 1 CHAMFER; THERMAL FINISH — THERMAL FINISH FRONT FACES





5 POOL COPING STONE SCALE: 1'-0" = 1'-0" SECTION **GENERAL NOTES:**

1. Stone Schedule is not to scale; refer to shown dimensions only. Do not scale off plans.

2. All stone pieces are dimensioned at nominal size, not actual size, unless otherwise noted; account for joint width when sizing. Refer to Stone Schedule for anticipated joint

3. The dimensions shown on the Stone Schedule indicate design intent and must be field verified prior to preparation of Shop Drawings by Contractor or stone supplier.

4. Shop Drawings for all Stone Schedule materials are required and shall be based on actual layout and field measurement by the Contractor.

5. Only upon written agreement between Contractor and Landscape Architect can Shop Drawings for the Stone Schedule materials be eliminated.

6. Contractor to provide mortar and polymeric sand color sample for approval by Landscape Architect.

7. Eased edge assumes a ¹/₄ radius.

8. Pencil edge assumes a $\frac{1}{8}$ radius.

<u>1</u> 2019/04/17

19 MARCH 2019


Date:

Project No.:

18017

SECTION

PLAN/ELEVATION



REVISION 1

Scale:

STONE SCHEDULE

AS SHOWN

MP/HB/TF

Checked by:

TS/GL

Drawing by:

VENEER	STONE SCHI	EDULE		
KEY	DIMENSIO	DNS	QTY.	NOTES
VS-1	1'-11 ³ / ₈ TOP 1'-11 ³ / ₈ TOP 1'-11 ³ / ₈ FRONT	2 ¹ / ₂ " SIDE	4	SILVER RIDGE GRANITE; BUSH HAMMER FRONT FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-2	2'-4" TOP 2'-4" FRONT	2 <u>1</u> " - - SIDE	5	SILVER RIDGE GRANITE; BUSH HAMMER FRONT FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-3	3'-1 ³ / ₈ TOP 3'-1 ³ / ₈ 5'-1 FRONT	2 <u>1</u> " 	4	SILVER RIDGE GRANITE; BUSH HAMMER FRONT FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-4	3'-6" TOP 3'-6" FRONT	2 ¹ / ₂ • SIDE	15	SILVER RIDGE GRANITE; BUSH HAMMER FRONT FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-5 _A	3'-2½" TOP 3'-2½" 50-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	4" -₩ •1 SIDE	3	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-5 _B	3'-2½" TOP 3'-2½" FRONT	4" ¶ SIDE	4	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL BOTTOM FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 2/L1.10
VS-6 _A	3'-2½" TOP 3'-2½" 	4" I SIDE	4	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL TOP FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-6 _B	3'-2½" TOP 3'-2½" FRONT	4" # • SIDE	2	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-7	2'-0"4" TOP 2'-0"4" 	4" 	2	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL LEFT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-8	2'-0"4" TOP 2'-0"4" ©IO - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	4" ¶ SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; PENCIL BOTTOM EDGE; THERMAL LEFT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 1/L1.11
VS-9	3'-2½" TOP 3'-2½" ZOP 3'-2½" FRONT	4" 	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-10	1'-3" TOP 1'-3" FRONT	4" • • SIDE	2	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL LEFT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN

VS-11	1'-2½" TOP 1'-0" Normalization 1'-2½" TOP 1'-0" Normalization 1'-2½" FRONT SIDE	1	SILVER RIDGE GRANITE; BUSH HAMMER FRONT FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN, SEE 2/L1.11
VS-12	1'-2½" TOP 1'-0" \[\bar{v}\bar{u}\bar{v}\bar{u}\	1	SILVER RIDGE GRANITE; BUSH HAMMER FRONT FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN, SEE 3/L1.11
VS-13	9"4" TOP 9"4" 4"	3	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-14	3'-2 ¹ / ₂ "4" TOP 3'-2 ¹ / ₂ "4" 4" FRONT SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL TOP FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-15	10" TOP 10" 4" FRONT SIDE	2	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL RIGHT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-16	1'-7" TOP 1'-7" 4" FRONT SIDE	2	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL RIGHT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-17	TOP 10" 4" EDE FRONT SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; PENCIL BOTTOM EDGE; THERMAL RIGHT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 4/L1.11
VS-18	4"2'-1½" TOP 2'-5½" FRONT SIDE	3	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 5/L1.11
VS-19 _A	4" 2'-10\frac{1}{2}" TOP 3'-2\frac{1}{2}" FRONT SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL TOP FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 6/L1.11
VS-19 _B	4" 2'-10 1" TOP 3'-2 1" 4" FRONT SIDE	2	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 6/L1.11
VS-20	4" 2'-101" TOP 2'-9" TOP 2'-9" FRONT SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 6/L1.11

VS-21 _A	10 ¹ / ₄ TOP 1'-0 ¹ / ₄ FRONT	4" # • SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL TOP FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-21 _B	1'-0 ¹ / ₄ " TOP 1'-0 ¹ / ₄ " FRONT	4" # • • • •	2	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-22	9" TOP 9" FRONT	4" ¶ •1 SIDE	3	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 7/L1.11
VS-23	1'-3 ⁵ / ₈ " TOP 1'-3 ⁵ / ₈ "	4" 1 1 SIDE	2	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL LEFT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-24	$ \begin{array}{c} 3'-5\frac{3}{4}"\\ \hline 10P\\ 3'-5\frac{3}{4}"\\ \hline$	4" # 1 SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-25	$3'-2\frac{1}{2}"$ TOP $3'-2\frac{1}{2}"$ 5 $FRONT$	4" 1 1 SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-26	1'-4\frac{3}{8}'' TOP 1'-4\frac{3}{8}'' FRONT	4" # 1 SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL RIGHT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-27	2'-0 ⁵ / ₈ TOP 2'-0 ⁵ / ₈ 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	4" A BIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL LEFT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 8/L1.11
VS-28	1'-48" TOP 1'-48" \[\bar{0} \bar{1} \bar{0}	4" # • SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL RIGHT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-29		4" # [SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL LEFT SIDE FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 8/L1.11
VS-30 _A	3'-2½" TOP 3'-2½"	4" #	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL TOP FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN

VS-30 _B	3'-2½" TOP 3'-2½" 1'-48"1'-108 FRONT	4" 	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; THERMAL BOTTOM FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-31 _A	3'-2½" TOP 3'-2½" FRONT	4" 	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL TOP FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 9/L1.11
VS-31 _B	3'-2½" TOP 3'-2½" 1'-1½" FRONT	4" 	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL BOTTOM FACE; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN; SEE 9/L1.11
VS-32	1'-0 ¹ ₄ " TOP 1'-0 ¹ ₄ " FRONT	4" • • SIDE	1	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; SAWN ALL OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN
VS-33	2'-4 <u>5</u> " TOP 2'-4 <u>5</u> " PO-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	4" 1 1 SIDE	2	SILVER RIDGE GRANITE; SPLIT FRONT FACE; LIGHTLY TRACED EDGES; THERMAL RIGHT SIDE FACE; SAWN ALI OTHER FACES; FRONT FACE CUT PERPENDICULAR TO GRAIN

INDICATES EXPOSED FACE SIZES ARE NOMINAL - ASSUME 3/8" JOINT * CUT IN FIELD

NOTE: CONTRACTOR TO DISCUSS GRAIN DIRECTION CONTROL WITH LANDSCAPE ARCHITECT PRIOR TO FABRICATION IF POSSIBLE


GENERAL NOTES:

- 1. Stone Schedule is not to scale; refer to shown dimensions only. Do not scale off plans.
- 2. All stone pieces are dimensioned at nominal size, not actual size, unless otherwise noted; account for joint width when sizing. Refer to Stone Schedule for anticipated joint
- 3. The dimensions shown on the Stone Schedule indicate
- design intent and must be field verified prior to preparation of Shop Drawings by Contractor or stone supplier.

 4. Shop Drawings for all Stone Schedule materials are required and shall be based on actual layout and field measurement by the Contractor.
- 5. Only upon written agreement between Contractor and Landscape Architect can Shop Drawings for the Stone Schedule materials be eliminated.
 6. Contractor to provide mortar and polymeric sand color sample for approval by Landscape Architect.
- 7. Eased edge assumes a 4 radius.
- 8. Pencil edge assumes a 1 radius.

	Date	Comment		
at	e:		Scale:	
1	7 APRIL 2019		AS SHOWN	
ro	ject No.:		Drawing by:	Checked by:
-	18017		MP/HB/TF	TS/GL

STONE SCHEDULE



GRILL COUNTERTOP - UNDER DEVELOPMENT
SCALE: X" = 1'-0"

PLAN

9 VS-31_A AND VS-31_B SCALE: 1-1/2" = 1'-0"

STONE SCHEDULE

Scale:

AS SHOWN

MP/HB/TF

Checked by:

TS/GL

Drawing by:

- 1. Stone Schedule is not to scale; refer to shown dimensions only. Do not scale off plans.
- 2. All stone pieces are dimensioned at nominal size, not actual size, unless otherwise noted; account for joint width when sizing. Refer to Stone Schedule for anticipated joint
- 3. The dimensions shown on the Stone Schedule indicate design intent and must be field verified prior to preparation of Shop Drawings by Contractor or stone supplier.
- 4. Shop Drawings for all Stone Schedule materials are required and shall be based on actual layout and field measurement by the Contractor.
- 5. Only upon written agreement between Contractor and Landscape Architect can Shop Drawings for the Stone
- Schedule materials be eliminated. 6. Contractor to provide mortar and polymeric sand color sample for approval by Landscape Architect.
- 7. Eased edge assumes a 1 radius.


GENERAL NOTES:

- 8. Pencil edge assumes a $\frac{1}{8}$ radius.


17 APRIL 2019

Project No.:

PLAN



PIER LOCATIONS	Sheet Reference: L1.05		I SK
NORTH	1"=1'-0"	Date: 2019-04-23 Project Number: 18017	1.1



PIER STONES AND ADDRESS MARKER		Sheet Reference: L1.09	
	AS SHOWN	Date: 2019-04-23	1 2
	Drawn By: HB	Project Number: 18017	1.2

GRANITE COUNTER STONE SCHEDULE


KEY	DIMENSIONS	QTY.	NOTES
GC-1	6'-14" 6'-14" 3" 6'-27 43" 444 43" 444	1	SILVER RIDGE GRANITE; LEATHERED ALL EXPOSED FACES; PENCILED ALL EXPOSED EDGES
GC-2	ω 4 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1	SILVER RIDGE GRANITE; LEATHERED ALL EXPOSED FACES; PENCILED ALL EXPOSED EDGES
GC-3	2 ¹ -9 ¹ 3 ¹ 3 ¹ 4 ⁴ 4 ³	1	SILVER RIDGE GRANITE; LEATHERED ALL EXPOSED FACES; PENCILED ALL EXPOSED EDGES

INDICATES EXPOSED FACE

SIZES ARE NOMINAL - ASSUME 3/8" JOINT

* CUT IN FIELD

NOTE: CONTRACTOR TO CONFIRM ALL DIMENSIONS, JOINTING AND FINAL SIZES WITH LANDSCAPE ARCHITECT PRIOR TO ORDERING STONE. CONTRACTOR SHALL ORDER STONE ACCOUNTING FOR TEMPLATING OF COUNTER TOP BASED ON FIELD CONDITIONS AND ALL APPLIANCES.



GRILL COUNTER STONE		Sheet Reference: L1.10-L1.11	
	Scale: 3/4"=1'-0"	Date: 2019-04-23	LON
	Drawn By: HB	Project Number: 18017] 1.3